Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Mouse GLP-2 EIA

Product number: YK142

Manufacturer: YANAIHARA INSTITUTE, INC.

Address: 2480-1, Awakura, Fujinomiya-shi

Shizuoka, Japan 418-0011

Tel: +81-544-22-2771(Japan)

Fax: +81-544-22-2770

E-mail: ask@yanaihara.co.jp

First issue: September 26, 2008 Ninth issue: October 18, 2024

2. HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture 5), 7), 8)

Acute toxicity - Inhalation (Dusts/Mists)

Skin corrosion/irritation

Skin sensitization

Serious eye damage/eye irritation

Specific target organ toxicity (single exposure)

Category 1, 2A

Category 1, 2A

Category 1, 2, 3

Category 1 respiratory system, cardiovascular system, kidneys, nervous system

Category 2 blood system

Category 3 respiratory tract irritation, narcotic effects

Specific target organ toxicity (repeated exposure) Category 1

Category 1 respiratory system, cardiovascular system, liver, digestive system, blood system,

kidneys, pancreas, thymus, central nervous system

Germ cell mutagenicity
Carcinogenicity
Category 2
Reproductive toxicity
Category 1B
Aquatic environment (acute hazard)
Category 2
Aquatic environment (long-term hazard)
Category 2

Pictograms



Signal word Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H340 May cause genetic defects
- H341 Suspected of causing genetic defects
- H351 Suspected of causing cancer
- H360 May damage fertility or the unborn child
- H370 Causes damage to the following organs: respiratory system, cardiovascular system, kidneys, nervous system
- H371 May cause damage to the following organs: blood system
- H372 Causes damage to the following organs through prolonged or repeated exposure: respiratory system, cardiovascular system, liver, digestive system, blood system, kidneys, pancreas, thymus, central nervous system
- H401 Toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects

Precautionary statements-(Prevention)

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fumes/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

Precautionary statements-(Response)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

IF exposed: Call a POISON CENTER or doctor/physician.

IF exposed or concerned: Get medical advice/attention.

Immediately call a POISON CENTER or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If skin irritation or a rash occurs: Get medical advice/attention.

If eye irritation persists get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Wash contaminated clothing before reuse.

Collect spillage.

Precautionary statements-(Storage)

Store locked up

Store in a well-ventilated place. Keep container tightly closed.

Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant.

Others

Other hazards Not available

Other reagents may be harmful if inhaled and ingested. May cause eye and skin irritation.

3. COMPOSITION, INFORMATION ON INGREDIENTS

Product Name CAS Number Mouse GLP-2 EIA None

Kit components:

	Component	Quantity	Chemical name	Wt%	CAS No.	Chemical Formula
1)	Antibody coated plate	1 plate	Plate coated with goat anti rabbit IgG antibody ①			
2)	Mouse GLP-2 Standard	50 ng	Synthetic mouse GLP-2 (Lyophilized) ②			
3)	Labeled antigen	1 vial	Biotinylated rat GLP-2 (Lyophilized) 3			
4)	GLP-2 antibody	6 mL	Rabbit anti rat GLP-2 antibody 4			
5)	SA-HRP solution	12 mL	HRP labeled Streptavidin(5)			
			Phenol®	0.096%	108-95-2	C6H5OH
			Chloramphenicol ⑦	0.02%	56-75-7	C11H12CL2N5
6)	Substrate buffer	26 mL	Hydrogen peroxide 8	0.015%	7722-84-1	H2O2
			Citric acid, monohydrate	0.7%	5949-29-1	C6H8O7 • H2O
			Disodium hydrogenphosphate 12-water 10	2.39%	10039-32-4	Na2HPO4 • 12H2O
7)	OPD tablet	2 tablets	o-Phenylenediamine dihydrochloride®	13mg	615-28-1	C6H4(NH2)2 2HCL
8)	Stopping solution	12 mL	Sulfuric acid (1M) ①	9.69%	7664-93-9	H2SO4
9)	Buffer solution	25 mL	Tris buffer ③			
10)	Washing solution	50 mL	Sodium chloride (14)	18%	7647-14-5	NaCl
	(concentrated)		Polyoxyethylene sorbitan monolaurate (Tween20) (§			
				1%	9005-64-5	C58H114O26
11)	Adhesive foil	3 sheets				

4. FIRST AID MEASURES

Inhalation: Immediately remove victim to fresh air. Consult a physician if necessary.

Eye contact: Immediately flush eyes with flooding amounts of running water for at least 15

minutes. Consult a physician if necessary.

Skin contact: Immediately remove contaminated clothes and shoes, flush skin with plenty of

water or shower. Wash contaminated clothing and shoes.

Consult a physician if necessary.

Immediately seek medical attention.

5. FIRE FIGHTING MEASURES

Ingestion:

Flammable properties: Nonflammable

Extinguishing media: Foam, Carbon dioxide, dry chemical powder, soil, water

Fire fighting instructions: May emit toxic fumes under fire conditions. Wear full fire fighting

protective equipment including self-contained breathing apparatus.

Do not contact to the components when extinguish fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Remove all ignition sources and ventilate. Wear suitable protective

equipment. Avoid contact with skin and eyes. Keep off except persons

concerned.

Environmental precautions: Prevent spills from entering sewers, watercourses or low area, and prevent

from affecting environment.

Methods for Clean up: In case of spill of liquid material, take up or cover spilled material with

> ashes or other incombustible absorbents, and put in a container to be sealed. After completely picked up, dispose. In case of spill of solid or powder material, prevent causing dust, sweep and collect, and put in a container to

be sealed. Wash the spill site with water.

7. HANDLING AND STORAGE

Handling: Obtain a package insert before use.

Read all the cautions for safety in the package insert before use.

Avoid strong light.

Avoid contact, inhalation and swallow. Use only in open air or ventilated area.

Prevent from entering eyes.

Ventilate the area to keep concentration in air below exposure limits.

Avoid inhalation of mist, vapor and spray of material.

Avoid contact with eyes, skin and clothing. Do not smoke and eat while using this kit. Wash hands thoroughly after handling. Prevent from entering environment. Handle materials with suitable protection.

Use suitable equipments. Do not pipette by mouth.

Do not leak, overflow and scatter. Do not fall down and damage.

Storage: Store away from sunlight in a cool and dark place at 36-47°F (2-8°C).

8. EXPOSURE CONTOROLS. PERSONAL PROTECTION

Engineering measures: General ventilation and/or local exhaust ventilation as well as process isolation is necessary to minimize employee exposure and maintain exposure limits below exposure limits. Equip eye flushing facilities and shower rooms near operating place where this kit is handled or stored.

Control parameter: 6 JSOH (Japan); TWA= 5 ppm OEL

TWA= 19mg/m3 OEL skin

ACGIH TLV(s); TWA= 5 ppm skin 8 ACGIH TLV(s); TWA = 1 ppm

(1) ACGIH; TWA=0.1mg/m3 (12) JSOH (Japan); OEL= 1 mg/m3 ACGIH TLV(s); TWA= 0.2 mg/m3

Personal protection:

Respiratory protection; NIOSH and MSHA approved respirator.

Hand protection; Suitable impervious gloves.

Eye protection; Suitable safety glasses (goggles).

Skin protection; Suitable protective clothing.

Others: Wash hands thoroughly after handling materials.

9. PHYSICAL AND CHEMICAL PROPERTIES

Component	1)	2)	3)	4)	5)	6)	7)	8)	9)	10)	11)
Appearance	Colorless plate	White color, lyophilized powder	White color, lyophilized powder	Light green blue color, Liquid	Orange color, Liquid	Colorless transparent, Liquid	White tablet	Colorless transparent, Liquid	Green blue color, Liquid	Colorless transparent, Liquid	Colorless transparent Polymer sheet
pH Melting point	N/A N/A	N/A D/N/A	N/A D/N/A	8.5 D/N/A	6.8 N/A	5 N/A	N/A D/N/A	<1.0 N/A	7.5 N/A	D/N/A N/A	N/A N/A
Boiling point	N/A	N/A	N/A	D/N/A	D/N/A	D/N/A	N/A	D/N/A	D/N/A	D/N/A	N/A
Flash point	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A
Explosive limits	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A
Vapor pressure	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A
Vapor density (air=1)	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A
Specifics gravity	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A
Solubility in water	Insoluble	Soluble	Soluble	Mixable	Mixable	Mixable	Soluble	Mixable	Mixable	Mixable	Insoluble
Decomposition temperature	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A

N/A: Not applicable
D/N/A: data not available

D/ N/ A: data not available

10. STABILITY AND REACTIVITY

Chemical stability: Product is stable under normal handling.
Shelf life: Stable up to 19 months after manufacturing.

Hazardous polymerization: Will not occur.

Conditions to avoid: Extremes of temperature and direct sunlight, heat, flames and

sparks, static electricity, spark

Incompatibility with other materials: Alkaline substances, metals, strong oxidizing agents

Hazardous decomposition products: Sulfur oxides(SOx), Carbon monoxide(CO), carbon dioxide(CO2),

Nitrogen oxides(NOx), Hydrogen chloride(HCl) gas

11. TOXICOLOGICAL INFORMATION

Information as the mixture is not available.

Acute toxicity: 5) Phenol (oral, rat); LD50=340 - 530mg/kg Category 4

(dermal, rabbit); LD50=630mg/kg (dermal, rat); LD50=669.4mg/kg Category 3 (inhalation, rat); 8h LC50 >900mg/m3 Classification not possible ⑥Content=0.096% Classification not possible Chloramphenicol (oral, rat); LD50=2500mg/kg Not classified

- 6) Hydrogen peroxide; (Oral) Category 4
 - 8 Content=0.015% No information available
- 7) o-Phenylenediamine dihydrochloride; No data available
- 8) Sulfuric acid (inhalation, rat); 4h LC50=347ppm

(Oral, rat) LD50=2140mg/kg

Acute toxicity (Oral) Category 5

Acute toxicity (Inhalation: Dusts and mists) Category 2

(2) Content=9.69% Acute toxicity (Inhalation: Dusts and mists) Category 3

10) Tween 20 (oral, rat); LD50=37000mg/kg Inhalation (rat); >5.1mg/L, 4h

Skin corrosion/irritation:

- 5) Phenol; Category 1
 - ©Content=0.096% Not classified Chloramphenicol; Classification not possible
- 6) Hydrogen peroxide (skin); Category 1
 - **8** Content=0.015% No information available
- 7) o-Phenylenediamine dihydrochloride; No data available.
- 8) Sulfuric acid; Category 1

12 Content = 9.69% Category 1

10) Tween 20; No information available

Serious eye damage/irritation:

- 5) Phenol; Category 1
 - 6 Content=0.096% Not classified

Chloramphenicol; Classification not possible

- 6) Hydrogen peroxide; Category 1
 - **8**Content=0.015% No information available
- 7) o-Phenylenediamine dihydrochloride; No data available
- 8) Sulfuric acid; Category 1

①Content=9.69% Category 1

10) Tween 20; No information available

Respiratory or skin sensitization:

Respiratory sensitization

- 5) Phenol; Classification not possible Chloramphenicol; Classification not possible
- 6) Hydrogen peroxide; Not classified
- 7) o-Phenylenediamine dihydrochloride; Classification not possible
- 8) Sulfuric acid; Classification not possible
- 10) Tween 20; No information available

Skin sensitization

- 5) Phenol; Not classified Chloramphenicol; Classification not possible
- 6) Hydrogen peroxide; Not classified
- 7) o-Phenylenediamine dihydrochloride; Category 1
- 8) Sulfuric acid; Not classified
- 10) Tween 20; No information available

Germ cell mutagenicity:

- 5) Phenol; Category 2
 - 6 Content=0.096% Category 1B
 - Chloramphenicol; Category 2
 - 7 Content=0.02% No information available
- 6) Hydrogen peroxide; Not classified
- 7) o-Phenylenediamine dihydrochloride; Category 2
- 8) Sulfuric acid; Classification not possible
- 10) Tween 20; No information available

Carcinogenicity:

- 5) Phenol; Not classified IARC group 3 (1999) (substances which cannot be classified to human carcinogens), ACGIH: A4 (2005), IRIS: D (2002) Chloramphenicol; Category 1B IARC group 2A (substances which may be carcinogenic to human)
 - 7 Content=0.02% No information available
- 6) Hydrogen peroxide; Category 2
 - 8 Content=0.015% No information available
- 7) o-phenylenediamine dihydrochloride; Category 1B
- 8) Sulfuric acid: Occupational exposure to Mist of inorganic strong acids including sulfuric acid is classified to group 1 in IARC (to have carcinogenicity for human), group A2 in ACGIH (suspected human carcinogens) and group K in NTP (known to have carcinogenicity for human). With respect for the evaluation by IARC and current evaluation by NTP, it should be classified to category 1, however since sulfuric acid itself is classified to Category 4 in DFGOT and is not classified to carcinogen by any other organization,

 Classification not possible
- 10) Tween 20; No information available

Reproductive toxicity:

5) Phenol; Category 1B

©Content=0.096% Not classified Chloramphenicol; Category 1B

7 Content=0.02% No information available

- 6) Hydrogen peroxide; Classification not possible
- 7) o-Phenylenediamine dihydrochloride; No data available
- 8) Sulfuric acid; Not classified
- 10) Tween 20; No information available

Specific target organ systemic toxicity/Single exposure:

- 5) Phenol: Category 1 (nervous system, respiratory organs, cardiovascular system, kidney)
 - **6** Content=0.096% Not classified

Chloramphenicol; Classification not possible

- 6) Hydrogen peroxide; Category 1
 - **8** Content=0.015% No information available
- 7) o-Phenylenediamine dihydrochloride;

Category 1 (Blood system)

Category 2 (Central nervous system)

Category 3 (Respiration tract irritation)

- 8) Sulfuric acid; Category 1 (Respiratory system) @Content=9.69% Category 2
- 10) Tween 20; No information available

Specific target organ systemic toxicity/Repeated exposure:

- 5) Phenol; Category 1 (central nervous system, cardiovascular system, blood system, liver, kidney)
 - 6 Content=0.096% Not classified

Chloramphenicol: Category 1 (Hematopoietic system, nervous system, circulatory system, digestive organ)

- (7)Content=0.02% No information available
- 6) Hydrogen peroxide: Category 1 (Respiratory organs)
 - **8** Content=0.015% No information available
- 7) o-Phenylenediamine dihydrochloride; No data available8) Sulfuric acid; Category 1 (Respiratory system)

①Content=9.69% Category 2

10) Tween 20; No information available

Aspiration hazard:

- 5) Phenol: Classification not possible Chloramphenicol; Classification not possible
- 6) Hydrogen peroxide; Classification not possible
- 7) o-Phenylenediamine dihydrochloride; Classification not possible
- 8) Sulfuric acid; Classification not possible
- 10) Tween 20; No information available

12. ECOLOGICAL INFORMATION

Information as the mixture is not available.

Aquatic environmental toxicity/Acute phase:

5) Phenol; Ceriodaphnia: LC50=3.1mg/L/48h Category 2

6 Content=0.096% Not classified

Chloramphenicol; 72h EC50=0.78mg/L (Desmodesmus subspicatus)

Category 1

7 Content=0.02% No information available

6) Hydrogen peroxide; Category 1

Algae/aquatic plants; 72h EC50= Nitzschia sp. 0.85mg/L

Oncorhynchus mykiss; 96h LC50=10.0-32.0 mg/L

Daphnia magna; 48h EC50=18-32 mg/L

8 Content=0.015% No information available

- 7) o-Phenylenediamine dihydrochloride; No information available
- 8) Sulfuric acid; 96h LC50=16-28mg/L for fish (Lepomis macrochirus) Category 3
 - ①Content=9.69% Not classified
- 10) Tween 20: No information available

Aquatic environmental toxicity/Chronical phase:

- 5) Phenol; Category 2
 - **6** Content=0.096% Not classified

Chloramphenicol; Category 1

- 7)Content=0.02% No information available
- 6) Hydrogen peroxide; Not classified
- 7) o-Phenylenediamine dihydrochloride; No data available
- 8) Sulfuric acid; 24h LC50=29mg/L for crustacea (Daphnia magna) Category 1
 - 12 Content = 9.69% Not classified
- 10) Tween 20: No information available

Persistence and degradability:

- 5) Phenol; Classification not possible Chloramphenicol; Classification not possible
- 6) Hydrogen peroxide; No information available
- 7) o-Phenylenediamine dihydrochloride; Degree of decomposition, 0% by BOD (METI Existing chemical safety inspections)
- 8) Sulfuric acid; No information available
- 10) Tween 20; No information available

Bioaccumulative potential:

- 5) Phenol; Classification not possible Chloramphenicol; Classification not possible
- 6) Hydrogen peroxide; No information available
- 7) o-Phenylenediamine dihydrochloride; No information available
- 8) Sulfuric acid; No information available
- 10) Tween 20; No data available

Mobility in soil:

- 5) Phenol; Classification not possible Chloramphenicol; Classification not possible
- 6) Hydrogen peroxide; No information available
- 7) o-Phenylenediamine dihydrochloride; No information available
- 8) Sulfuric acid; No information available
- 10) Tween 20; No information available

Hazard to the ozone layer:

- 5) Phenol; Classification not possible Chloramphenicol; Classification not possible
- 6) Hydrogen peroxide; No information available
- 7) o-Phenylenediamine dihydrochloride; No information available
- 8) Sulfuric acid; Classification not possible
- 10) Tween 20; No information available

13. DISPOSAL CONSIDERATIONS

Dispose of all waste material including containers in accordance with all applicable laws and local environmental regulations.

14. TRANSPORT INFORMATION

IATA; As a mixture, the substance is subjected to no limitation.

ADR/RID

UN number	UN2796	UN3077
Dranar ahinning nama'	Sulfuric acid	Environmentally hazardous substance,
Proper shipping name;	Sullulic acid	solid, n.o.s. (o-Phenylenediamine • 2HCl)
UN classification	8	9
Packing group	II	III
Marine pollutant	Not applicable	Yes
IMDG		
UN number	UN2796	UN3077
		Environmentally hazardous substance,
Proper shipping name;	Sulfuric acid	solid, n.o.s. (o-Phenylenediamine • 2HCl)
UN classification	8	9
Packing group	I	III
Marine pollutant	Not applicable	Yes
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available	No information available

YK142 Mouse GLP-2 EIA YANAIHARA INSTITUTE, INC. SDS No.00142-009 Oct. 18 2024 11/12

IATA

Substance

UN number UN2796 UN3077

Environmentally hazardous substance,

Proper shipping name; Sulfuric acid solid, n.o.s. (o-Phenylenediamine -

2HCI)

UN classification 8 9
Packing group II III

Environmentally Hazardous Not applicable Yes

15. REGULATORY INFORMATION

International Inventories

Japanese regulations

Fire Service Act; Not applicable Poisonous and Deleterious Substances Control Law; Not applicable

Industrial Safety and Health Act;

(1)Substances with Health Hazards Prevention Guideline

(Carcinogenicity Substance)

①Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to Specified Chemical

Substances Art.2 Para.1, Item 6)

© (12) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1,

Enforcement Order Art.18)

© 2 Notifiable Substances (Law Art.57-2, Enforcement Oder Art.18-2 Attached Table No. 9) No.474 (6), No.613

(IZ)

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.;

Regulations for the carriage and storage of

dangerous goods in ship;

©Priority Assessment Chemical Substances (Law

Article 2, Para.5)

(1)Noxious Substances(Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship

and Storage, Attached Table 1)

(2) Corrosive Substances (Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship

and Storage, Attached Table 1)

Civil Aeronautics Law; ①Miscellaneous Dangerous Substances and Articles

(Ordinance Art.194, MITL Notification for Air

Transportation of Explosives etc., Attached Table 1)

①Corrosive Substances(Ordinance Art.194, MITL

Notification for Air Transportation of Explosives etc.,

Attached Table 1)

YK142 Mouse GLP-2 EIA YANAIHARA INSTITUTE, INC. SDS No.00142-009 Oct. 18 2024

Air Pollution Control Law;

6 Specified Substances, Hazardous Air Pollutants

12 Specified substance

Not applicable

Marine Pollution Prevention Law; (12) Enforcement ordinance Appendix No. 1 Noxious

liquid substance Category Y

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof (Pollutant Release and Transfer Register Law/ PRTR);

Water Pollution Control Act;

6 (2) Specified substances (Law Art. 2 Para. 4,

Enforcement Order Art.3-3)

Export Trade Control Order; Not applicable

16. OTHER INFORMATION

Reference and abbreviation

- 1) Internal data of Yanaihara Institute, Inc.
- 2) SIDS(2001)
- 3) RTECS: Registry of Toxic Effects of Chemical Substances.
- 4) NTP DB (Access on Dec., 2005), National Toxicology Program
- 5) SDS by FUJI FILM Wako Pure Chemical Corporation
- 6) ACGIH(2004); American Conference of Governmental Industrial Hygienists
- 7) JSOH: Japanese Society of Occupational Health Recommendation of Occupational Exposure Limits (2021-2022)
- 8) NIOSH: National Institute of Occupational Safety and Health
- 9) MSHA: Mine Safety and Health Administration
- 10) IARC(1992); International Agency for Research on Cancer
- 11) DFGOT; Occupational Toxicants: Critical Data Evaluation for MAK Value and Classification of Carcinogens, Vol. 15, 2001
- 12) SDS by Bio-Rad laboratories, Life Science Group

Key literature references and sources for data etc.;

NITE: National Institute of Technology and Evaluation (JAPAN) http://www.safe.nite.go.jp/japan/db.html IATA dangerous Goods Regulations RTECS: Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Organic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc.

The above information is believed to be correct to be the best of our knowledge and information, but does not purport to be all inclusive and should be used as only a guide. This product is intended to be used by expert persons having chemical knowledge and skill, at their own discretion and risk. Yanaihara institute shall not be held liable for any damages resulting from handling or contact with the above product. Users should determine the suitability of the information for their particular purpose.