

Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: DHEA (saliva) EIA Kit
Product number: YK290
Manufacturer: YANAIHARA INSTITUTE, INC.
Address: 2480-1, Awakura, Fujinomiya-shi
Shizuoka, Japan 418-0011
Tel: +81-544-22-2771(Japan)
Fax: +81-544-22-2770
E-mail: ask@yanaihara.co.jp
First issue: Aug. 22, 2016
Fifth issue: March 16, 2018

2. HAZARDS IDENTIFICATION

GHS classification

Classification of the substance or mixture 7)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 1
Category 1 respiratory system	
Specific target organ toxicity (repeated exposure)	Category 1
Category 1 respiratory system	

Pictograms



Signal word Danger

Hazard statements

H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H332 - Harmful if inhaled
H370 - Causes damage to the following organs: respiratory system
H372 - Causes damage to the following organs through prolonged or repeated exposure: respiratory system

Precautionary statements-(Prevention)

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area

Precautionary statements-(Response)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Call a POISON CENTER or doctor/physician if you feel unwell
 IF ON SKIN: Wash with plenty of soap and water
 IF exposed or concerned: Get medical advice/attention
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 If skin irritation or rash occurs: Get medical advice/attention
 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Precautionary statements-(Storage)

Store locked up
 Store in a well-ventilated place. Keep container tightly closed.

Precautionary statements-(Disposal)

Dispose of contents/container to an approved waste disposal plant

Others

Other hazards Not available

Other reagents may be harmful if inhaled and ingested. May cause eye and skin irritation.

3. COMPOSITION, INFORMATION ON INGREDIENTS

Product Name	CAS Number
DHEA (saliva) EIA Kit	None

Kit components:

No.	Component	Quantity	Chemical name	Wt%	CAS No.	Chemical Formula
1)	Antibody coated plate	1 plate	Plate coated with goat anti rabbit IgG antibody ①			
2)	DHEA Standard	36.45ng	Dehydroepiandrosterone ②	<1ppm	53-43-0	C19H28O2
3)	Labeled antigen	0.6 mL	Horse radish peroxidase- DHEA ③	<1ppm		
4)	Citrate buffer	30 mL	Trisodium citrate ④	<0.1%	6132-04-3	C6H5Na3O7
			Milk powder⑤	<0.1%		
5)	Enzyme substrate	12 mL	3,3',5,5' -Tetramethylbenzidine ⑥	No Information	54827-17-7	C16H20N2
6)	Concentrated wash solution	50 mL	Sodium chloride ⑦	18%	7647-14-5	NaCl
			Polyoxyethylene sorbitan monolaurate (Tween20) ⑧	1%	9005-64-5	C22H42O3
7)	Stopping solution	12 mL	Sulfuric acid (1M) ⑨	9.69%	7664-93-9	H2SO4
8)	Adhesive foil	2 pieces				

4. FIRST AID MEASURES

- Inhalation: Immediately remove victim to fresh air. Consult a physician if necessary.
- Eye contact: Immediately flush eyes with flooding amounts of running water for at least 15 minutes. Consult a physician if necessary.
- Skin contact: Immediately remove contaminated clothes and shoes, flush skin with plenty of water or shower. Wash contaminated clothing and shoes.
Consult a physician if necessary.
- Ingestion: Immediately seek medical attention.

5. FIRE FIGHTING MEASURES

- Flammable properties: Nonflammable
- Extinguishing media: No restriction; use any means suitable for extinguishing surrounding fire.
- Firefighting instructions: May emit toxic fumes under fire conditions. Wear full fire fighting protective equipment including self-contained breathing apparatus.
Do not contact to the components when extinguish fire.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions: Remove all ignition sources and ventilate. Wear suitable protective equipment.
Avoid contact with skin and eyes. Keep off except persons concerned.
- Environmental precautions: Prevent spills from entering sewers, watercourses or low area, and prevent from affecting environment.
- Methods for Clean up: In case of spill of liquid material, take up or cover spilled material with ashes or other incombustible absorbents, and put in a container to be sealed. After completely picked up, dispose. In case of spill of solid or powder material, prevent causing dust, sweep and collect, and put in a container to be sealed.
Wash the spill site with water.

7. HANDLING AND STORAGE

- Handling: Obtain a package insert before use.
Read all the cautions for safety in the package insert before use.
Avoid strong light.
Avoid contact, inhalation and swallow.
Use only in open air or ventilated area.
Prevent from entering eyes.
Ventilate the area to keep concentration in air below exposure limits.
Avoid inhalation of mist, vapor and spray of material.
Avoid contact with eyes, skin and clothing.
Do not smoke and eat while using this kit.
Wash hands thoroughly after handling.
Prevent from entering environment.
Handle materials with suitable protection.
Use suitable equipment.
Do not pipette by mouth.
Do not leak, overflow and scatter.
Do not fall down and damage.

Storage: Store away from sunlight in a cool and dark place at 36-47°F (2-8°C).

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering measures: General ventilation and/or local exhaust ventilation as well as process isolation is necessary to minimize employee exposure and maintain exposure limits below exposure limits. Equip eye flushing facilities and shower rooms near operating place where this kit is handled or stored.

Control parameter:

⑨ OSHA Final Limits:	TWA= 1 mg/m ³
JSOH (Japan):	TWA= 1 mg/m ³
ACGIH TLV(s):	TWA= 0.2 mg/m ³

Personal protection:

Respiratory protection: NIOSH and MSHA approved respirator.
Hand protection: Suitable impervious gloves.
Eye protection: Suitable safety glasses (goggles).
Skin protection: Suitable protective clothing.

Others: Wash hands thoroughly after handling materials.

9. PHYSICAL AND CHEMICAL PROPERTIES

Component	1)	2)	3)	4)	5)	6)	7)	8)
Appearance	Colorless plate	White color lyophilized powder	Yellowish transparent liquid	Colorless transparent liquid	Colorless to pale yellow liquid	Colorless transparent liquid	Colorless transparent liquid	Colorless transparent polymersheet
pH	N/A	N/A	7.4	6.8	3.3-3.8	7.4	<1.0	N/A
Melting point	N/A	D/N/A	N/A	N/A	N/A	N/A	N/A	N/A
Boiling point	N/A	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A
Flash point	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A
Explosive limits	N/A	D/N/A	D/N/A	D/N/A	Not explosive	D/N/A	D/N/A	N/A
Vapor pressure	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A
Vapor density (air=1)	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A
Specific gravity	D/N/A	D/N/A	D/N/A	D/N/A	1.01	D/N/A	D/N/A	D/N/A
Solubility in water	Insoluble	Soluble	Mixable	Mixable	Mixable	Mixable	Mixable	Insoluble
Decomposition temperature	N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	D/N/A	N/A

N/A.: Not applicable;

D/N/A: data not available

10. STABILITY AND REACTIVITY

Chemical stability:	Product is stable under normal handling.
Shelf life:	Stable up to 24 months after manufacturing.
Hazardous polymerization:	Will not occur.
Conditions to avoid:	Extremes of temperature and direct sunlight, heat, flames and sparks, static electricity, spark, moisture
Incompatibility with other materials:	Alkaline substances, metals, strong oxidizing agents
Hazardous decomposition products:	Sulfur oxides(SO _x), Carbon monoxide(CO), carbon dioxide(CO ₂), Nitrogen oxides(NO _x)

11. TOXICOLOGICAL INFORMATION

Information as the mixture is not available.

Acute toxicity :

- 5) Not classified
- 6) Tween 20 (oral, rat); LD50=37000mg/kg
Sodium chloride (oral, rat); LD50=3000mg/kg
Not classified
- 7) Sulfuric acid (inhalation, rat); 2H LC50=510mg/m³
(oral, rat) LD50=2140mg/kg
Category 4
Hazard statement: Harmful if inhaled.
Content=9.69%

Skin corrosion/irritation:

- 5) Not classified
- 6) Tween 20 (skin, human); 15mg/3days, Mild
Sodium chloride (skin, rabbit); 500mg/24H, Mild
Category 3
Hazard statement: Skin irritant
- 7) Sulfuric acid; Based on the NITE GHS classification.
Category 1A
Hazard statement: Causes severe skin burns and eye damage.
Content=9.69%

Serious eye damage/irritation:

- 5) Not classified
- 6) Tween 20 (eye); R-phase(s) =R36 (Irritating to eyes)
Sodium chloride (eye, rabbit); 100mg/24H, Medium
Category 2B
Hazard statement: Causes eye irritation.
- 7) Sulfuric acid; Based on the NITE GHS classification results.
Category 1
Hazard statement: Causes serious eye damage.
Content=9.69%

Respiratory or skin sensitization:

Respiratory sensitization

- 5) Not classified
- 7) Sulfuric acid; No data available.

Skin sensitization

- 5) Not classified
- 7) Sulfuric acid; No data available.

Germ cell mutagenicity:

- 5) Not classified
- 7) Sulfuric acid; No data available.

Carcinogenicity:

- 5) Not classified
- 7) Sulfuric acid; Occupational exposure to Mist of inorganic strong acids including sulfuric acid is classified to group 1 in IARC (to have carcinogenicity for human), group A2 in ACGIH (suspected human carcinogens) and group K in NTP (known to have carcinogenicity for human). With respect for the evaluation by IARC and current evaluation by NTP, it should be classified to category 1, however since sulfuric acid itself is classified to Category 4 in DFGOT and is not classified to carcinogen by any other organization, component 7) cannot be classified.

Reproductive toxicity:

- 2) DHEA; Data not available.
- 5) Not classified
- 7) Sulfuric acid; No data available.

Specific target organ systemic toxicity/Single exposure:

- 5) Not classified
- 7) Sulfuric acid; Based on the NITE GHS classification results.
Category 1 respiratory system
Hazard statement: Causes damage to the following organs: respiratory system.
Content=9.69%

Specific target organ systemic toxicity/Repeated exposure:

- 5) Not classified
- 7) Sulfuric acid; Based on the NITE GHS classification results.
Category 1 respiratory system
Hazard statement: Causes damage to the following organs through prolonged or repeated exposure: respiratory system.
Content=9.69%

12. ECOLOGICAL INFORMATION

Information as the mixture is not available.

Aquatic environmental toxicity/Acute phase:

- 5) No information available.
- 7) Sulfuric acid; In fish (Bluegill), 96H LC50=16-28mg/L
Daphnia magna 24H EC50=29mg/L
Hazard statement; Harmful to aquatic life.

Aquatic environmental toxicity/Chronical phase:

- 7) Sulfuric acid; Based on the NITE GHS classification results.

13. DISPOSAL CONSIDERATIONS

Dispose of all waste material including containers in accordance with all applicable laws and local environmental regulations.

14. TRANSPORT INFORMATION

IATA: As a mixture, the substance is subjected to no limitations.

15. REGULATORY INFORMATION

International Inventories

EINECS/ELINCS	Listed
TSCA	Listed

Japanese regulations

Fire Service Act; Not applicable

Poisonous and Deleterious Substances Control Law; Not applicable

Industrial Safety and Health Act;

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6)

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 No.613)

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.;

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Regulations for the carriage and storage of dangerous goods in ship;

Corrosive Substances(Ordinance Art.3, Ministry of Transportation Ordinance Regarding Transport by Ship and Storage)

Civil Aeronautics Law;

Corrosive Substances (Ordinance Art.194, MITL Notification for Air Transportation of Explosives etc.)

Air pollution Control Law; Specified substance

EU Directive 1999/45/EC; classification, packaging and labeling of dangerous Preparations

SYMBOL : C as component 7)

R-phrases : 35 as component 7)

S-phrases : 26-45 as component 7)

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of accident or if you feel unwell, seek medical advice immediately.

EC index No. : ⑥=259-364-6, ⑨=016-020-00-8

Other ingredients=Not listed.

Follow all the regulations in your country.

16. OTHER INFORMATION

Reference

- 1) Internal data of Yanaihara Institute, Inc.
- 2) Chemwatch MSDS
- 3) RTECS (2006)
- 4) EU RAR (2003)
- 5) SIDS (2001)
- 6) Environmental Risk Assessment of Chemicals Vol.3 (Ministry of environment, Japan) (2004)
- 7) ATSDR (1998)
- 8) SIDS (2001)
- 9) DFDS (2001)
- 10) EU- RAR (2002)
- 11) SIDS (2003)
- 12) CERi-NITE Hazard Assessment Report (2005)
- 13) NTP DB (Access on Dec., 2005)
- 14) Narotsky and Kavlock (1995)
- 15) EHC 161 (1994)
- 16) MSDS by Wako Pure Chemical Industries, Ltd.
- 17) ECETOC JACC (1993)
- 18) ACGIH (2001)
- 19) NITE Biodegradation and Bioconcentration of the Existing Chemical Substances
- 20) PHYSPROP Database (2005)
- 21) IUCLID (2000)
- 22) HSDB (2006)
- 23) JSOH Recommendation of Occupational Exposure Limits (1993)
- 24) IARC (1992)
- 25) ACGIH (2004)

Key literature references and sources for data etc.:

NITE: National Institute of Technology and Evaluation (JAPAN) <http://www.safe.nite.go.jp/japan/db.html> IATA dangerous Goods Regulations RTECS: Registry of Toxic Effects of Chemical Substances Japan Industrial Safety and Health Association GHS Model SDS Dictionary of Synthetic Organic Chemistry, SSOCJ, Koudansha Scientific Co.Ltd. Chemical Dictionary, Kyouritsu Publishing Co., Ltd. etc.

The above information is believed to be correct to be the best of our knowledge and information, but does not purport to be all inclusive and should be used as only a guide. This product is intended to be used by expert persons having chemical knowledge and skill, at their own discretion and risk.

Yanaihara institute shall not be held liable for any damages resulting from handling or contact with the above product.

Users should determine the suitability of the information for their particular purpose.